Variable Vane Pumps

PSV 10, 15, 20, 25 PSV 40, 80, 100



Variable vane pump brochure


TECHNICAL UNION | WWW.TU.BIZ | INFO@TU.BIZ

Technical Union leads the industry as the premiere "customer centric" organization. From first contact with Customer Service through Manufacturing and Shipping Technical Unionseeks to provide best in class service and support. Our Customer Service is empowered to work with customers to find the best product, delivery and can resolve any problems which may develop along the way. Both Engineering and Application Engineering are available to help with circuit design, installation

and /or trouble shooting issues. Technical Union's large selection of Racine cores enables us to build various sizes and types of Racine product and have it shipped by the next business day. Our pumps are tested and inspected prior

to shipping by our quality department. We carry a complete line of Racine PSV pumps available in sizes 10-100.

Variable Volume Silent Vane Pumps PSV 10/15, 20/25, 40, 80, 100



TECHNICAL UNION | WWW.TU.BIZ | INFO@TU.BIZ

PSV Parts List

Part Number	Speciations	Description							
	PSV 10 & 15								
T308330	PSV10 ONLY Pressure Ring								
T308666	PSV15 ONLY	Pressure Ring							
T223235		Port Plate, Body							
T223237		Port Plate, Cover							
T778355		Bearing Assembly							
T308333	Medium Keyed Shaft-Viton Rotor Shaft, Standard								
T308985	Combination Shaft-Viton Rotor Shaft, Standard								
T778358		Viton Seal Kit							
	PSV 20 & 25								
T308128	PSV20	Pressure Ring							
T308675	PSV25	Pressure Ring							
T222942		Port Plate, LH Body, RH Cover							
T222943		Port Plate, RH Body, LH Cover							
T778083		Bearing Assembly							
T308770	PSV20-Long Single Shaft-Viton	Rotor Shaft, Long Keyed							
T308772	Medium Key Double Shaft-Buna	Rotor Shaft, Medium Keyed Thru							
T308773	PSV20-Short Single Shaft-Viton	Rotor Shaft, Standard							
T308986	Combo Shaft-Buna	Rotor Shaft Combo							
T308760	Medium Single Shaft	Rotor Shaft, Medium Keyed Thru							
T723726		Buna Seal Kit							
T723724		Viton Seal Kit							
	PSV 40								
T308511	PSV40 ONLY	Pressure Ring							
T222692		Port Plate LH Body, RH Cover							
T222690		Port Plate RH Body, LH Cover							
T778041		Bearing Assembly							
T308564	Double End Shaft-Viton (52)	Rotor Shaft, Thru-(52)							
T308987	Combo Shaft-Viton(62)	Rotor Shaft, Combo							
T308513	Single Shaft-Viton	Rotor Shaft, Single K eyed							
T723731		Viton Seal Kit							
	PSV 80-100								
T308419	PSV80	Pressure Ring							
T223230		Port Plate, RH Body, LH Cover							
T223228	Port Plate, LH Body, R H Cover								
T723135		Bearing Assembly							
T308417	Med. Length Keyed Shaft-Viton	Rotor Shaft, Keyed (for rear port cover)							
T308567	Thru Shaft-Viton (52)	Rotor Shaft, Thru							
T308988	Combo-Viton (62)	Rotor Shaft, Combo							
T723733	Combo-Viton (62)	Viton Seal Kit							
T794119	Thru Shaft-Viton (52)	Viton Seal Kit							

Wide range of parts and kits in stock including single and thru combination. Same Day shipment available.



Repair Kits

Kit Number	Description	Kit Number	Description	
PSV 10 Repair Kits		PSV 25 Repair Kits		
T794107	Standard Shaft	T794147	Medium Keyed Single Shaft	
T794109	Double End Thru Shaft	T794144	Medium Keyed Viton Single Shaft	
T794395	Combo Shaft	T794149	Medium Keyed Thru Shaft	
	PSV 15 Repair Kits	T794146	Medium Keyed Thru Viton Shaft	
T794110	Standard Shaft	T794400	Combo Shaft	
T794111	Double End Thru Shaft	T794401	Combo Viton Shaft	
T794397	Combo Shaft	PSV 40 Repair Kits		
	PSV 20 Repair Kits	T794125	Thru 52 Shaft	
T794130	Short Shaft	T794403	Combo Shaft	
T794131	Short Viton Shaft	T794121	Single Keyed Shaft	
T794132	Medium Keyed Shaft	WF794123	Splined Shaft	
T794133	Medium Keyed Viton Shaft		PSV 80 Repair Kits	
T794134	Long Keyed Shaft	T794101	Keyed Shaft (For Rear Port Cover)	
T794135	Long Keyed Viton Shaft	T794126	Thru Shaft	
T794140	Medium Keyed Thru Shaft	T794405	Combo Shaft	
T794141	Medium Keyed Thru Viton Shaft			
T794398	Combo Shaft			
T794399	Combo Viton Shaft			

MODEL	GPM AT 100 PSI & 1800 RPM	MAX. PSI	M AX. RPM	PRSSURE COMPENSATING RANGE (PSI)	THEORETICAL DISPLACEMENT (CU. IN.)	INPUT HP AT MAX PSI & 1800 RPM
STANDARD SV-10	8	2000	1800	400-2000	1	10.8
STANDARD SV-15	11.5	1500	1800	300-1000	1.5	11.2
LOW PRESSRE SV-10	8	700	1800	160-750	1	4
LOW PRESSRE SV-15	11.5	700	1800	160-750	1.5	5.75
STANDARD SV-20	15	2000	1800	375-2000	1.9	20
STANDARD SV-25	20	1500	1800	300-1000	2.56	20.3
LOW PRESSRE SV-20	15	750	1800	175-750	1.9	7.25
LOW PRESSRE SV-25	20	750	1800	175-750	2.56	9.75
SV-40	31	2000	1800	250-2000	4	41
SV-80	62	1500	1800	300-1500	8	62
SV-100	78	1000	1800	250-1000	10	51